

Polish Arabian

Breed Organization

Arabian Horse Association AHA
10805 E. Bethany Drive
Aurora, Colorado 80014
Phone: (303)696-4500
Website: www.arabianhorses.org

Breed Description

A beautiful, delicate head characterizes the Arabian, often with a "dished" or concave profile below large, prominent eyes; a high-set, arched neck; and a naturally high tail carriage. The back is short and straight; the withers are pronounced and long; the chest is muscular, deep and broad; the shoulders long and sloping; the legs muscular with broad strong joints and clearly defined tendons; and the hooves small with very tough horn, wide at the heel. These points of "type" give the Arabian its distinctive beauty. The ideal height for an Arabian is between 14.2 and 15 hands and may be chestnut, gray, bay, and black. White markings on the face and legs are common. The coat is fine and silky and the skin is invariably black. The mane and tail are full.



They are anatomically different from all other breeds of horse in that they have one less rib (17, as opposed to the usual 18), one less lumbar vertebra and one less tail bone than other horses.

History

The history and development of the Polish Arabian is inextricably involved with war. Without natural boundaries, Poland has for centuries been the prey of stronger, more aggressive nations. First the Mongols, then the Tatars and finally in the seventeenth century, the Turks, attempted to conquer Poland.

Through the years, Polish horsemen came to appreciate the sound, tough war mounts of their Middle Eastern and Asian adversaries, and the horses-Arabians-became the most desirable prizes of war. The captured horses were retained and stud farms were set up. As early as the sixteenth century, writings mention the breeding of purebred Arabians in Poland. In 1699 a truce with Turkey severed the Polish horsemen's most convenient means of acquiring Arabian horses. To compensate, they began organizing expeditions to the desert to obtain bloodstock, and during the eighteenth century, the breeding of Arabians grew.

World War I nearly destroyed Arabian breeding in Poland. Since the cavalry was then a viable military weapon, the horses were even more vulnerable; by the close of the war, only 25 mares and seven fillies were left. The Poles built back, and the Arabian Horse Breeding Society was formed in 1926, introducing racing as a means of physical testing in 1927. The Society also published the first studbook in 1932.

World War II rolled over Poland with a devastation that eclipsed its predecessor. Russia removed most of the finest horses, and Polish horsemen evacuated and protected as many of the horses as they could. Others were simply lost. Witez II and Bask's grand-dam *Iwonka III were forwarded to the U.S. and sold at auction. Following the close of World War II, Poland fell under the influence of the Soviet Union and the studs came under the jurisdiction of the state.

The Polish breeding program today is, as it always has been, based on its broodmares. There are many dam-lines in use, all dating back 100 to 150 years or more-some from the turn of the nineteenth century. Sire lines have been somewhat more diverse. In the early twentieth century, there were approximately 30 sire lines in use.

Two of the four 1931 imports left particularly significant lines in Poland. Kuhailan Haifi, known for his athletic prowess, sired Ofir, who produced the triumvirate of Witraz, Wielki Szlem and *Witez II. Witraz, who was more beautiful than Wielki Szlem and possessed a fiery temperament, was the sire of *Bask++.

In a monumental case of oversimplification which is nevertheless somewhat helpful in keeping traits straight when starting out, Americans tend to refer to Polish horses of intense refinement and beauty as "Seglawi" in type, while the more athletic ones are generally "Kuhailan." This is, as mentioned, an oversimplification, as both terms refer to strains and there were many more strains than just those two. However, the program has always reflected the judicious mixture by breeders of tough, athletic characteristics with ethereal beauty and remembering the two types can help one keep track of the teams. Seglawi horses often come in grey, while Kuhailans are frequently bay.

Most Polish horses go to the track in Warsaw in their three-year-old year to pursue a career on the turf. The object is not necessarily to win races, the breeders are examining a horse's ability to carry weight over distance with speed, and his or her soundness and capacity for quick recovery. Those that pass the tests are retained for breeding on the stud farms; others are sold. Other than the importations by General Dickinson and Mr. Babson in the thirties, Americans by and large did not acquire Arabians from Poland until the late fifties and early sixties. It was then that British breeder Patricia Lindsay, intrigued by the history and quality of the Polish breeding program, learned the Polish language and traveled to Poland to investigate for herself. She purchased and leased horses for her program and eventually bought for interested Americans. American breeders began visiting Poland in search of bloodstock, and the relationship has been growing ever since.

The Poles host an annual auction, the only time during the year that horses are sold for export. Held in late summer, the sale is publicized worldwide and conducted the day after the Polish National Horse Show. Predominantly the horses for sale are broodmares with one or two stallions offered. Some young stallions just off the track are or fresh from a season or two at stud are available for purchase in a silent auction.

By Mark Kirkman
National Show Horse Magazine

Physical Characteristics - General Equine Information

Horses are prey animals with a well-developed fight-or-flight instinct. Their first response to threat is to startle and usually flee, although they are known to stand their ground and defend themselves or their offspring in cases where flight is not possible, or when their young are threatened. They also tend to be curious; when startled, they will often hesitate an instant to ascertain the cause of their fright, and may not always flee from something that they perceive as non-threatening. Through selective breeding, some breeds of horses are quite docile, particularly certain large draft horses. However, most light horse riding breeds were developed for speed, agility, alertness and endurance; natural qualities that extend from their wild ancestors.

Horses are herd animals, with a clear hierarchy of rank, led by a dominant animal (usually a mare). Horses are also social creatures who are able to form companionship attachments to their own species and to other animals, including humans. They communicate in various ways, including vocalizations such as nickering or whinnying, mutual grooming, and body language. Many horses will become difficult to manage if they are isolated. When this behavior occurs while being handled by human, the horse is called "herd-bound". However, through proper training, it is possible to teach any horse to accept a human as a type of companion, and thus be comfortable away from other horses.

When confined with insufficient companionship, exercise or stimulation, horses may develop stable vices, an assortment of bad habits, mostly psychological in origin, that include wood chewing, wall kicking, "weaving" (rocking back and forth) and other problems.

Age: Depending on breed, management and environment, the domestic horse today have a life expectancy of 25 to 30 years. It is uncommon, but a few horses live into their 40s, and, occasionally, beyond. The oldest verifiable record

was "Old Billy," a horse that lived in the 19th century to the age of 62. In modern times, Sugar Puff, who had been listed in the Guinness Book of World Records as the world's oldest then-living pony, died at age 56.

Regardless of a horse's actual birthdate, for most competition purposes, horses are considered a year older on January 1 of each year in the northern hemisphere and August 1 in the southern hemisphere. The exception is endurance riding, where the minimum age to compete is based on the horse's actual calendar age.

The following terminology is used to describe horses of various ages:

Foal: a horse of either sex less than one year old. A nursing foal is sometimes called a suckling and a foal that has been weaned is called a weanling. Most domesticated foals are weaned at 4-6 months of age

Yearling: a horse of either sex that is between one and two years old.

Colt: a male horse under the age of four.

Filly: a female horse under the age of four.

Mare: a female horse four years old and older.

Stallion: a non-castrated male horse four years old and older. Some people, particularly in the UK, refer to a stallion as a "horse." A Ridgling or "Rig" is a stallion which has an undescended testicle. If both testicles are not descended, the horse may appear to be a gelding, but will still behave like a stallion.

Gelding: a castrated male horse of any age, though for convenience sake, many people also refer to a young gelding under the age of four as a "colt."

In horse racing the definitions of colt, filly, mare, and stallion or horse may differ from those given above. In the United Kingdom, Thoroughbred horse racing defines a colt as a male horse less than five years old and a filly as a female horse less than five years old. In the USA, both Thoroughbred racing and harness racing defines colts and fillies as four years old and younger. A very rough estimate of a horse's age can be made from looking at its teeth.

Sleep Patterns: Horses are able to sleep both standing up and lying down. They are able to doze and enter light sleep while standing, an adaptation from life as a prey animal in the wild. Lying down makes an animal more vulnerable to predators. Horses are able to sleep standing up because a "stay apparatus" in their legs allows them to relax their muscles and doze without collapsing. Unlike humans, horses do not sleep in a solid, unbroken period of time. They obtain sleep by means of many short periods of rest. Horses may spend anywhere from four to fifteen hours a day in standing rest, and from a few minutes to several hours lying down. Total sleep time in a day may range from several minutes to a couple of hours. Horses require approximately two and a half hours of sleep, on average, in a 24-hour period. Most of this sleep occurs in many short intervals of about 15 minutes each.

Horses must lie down to reach REM sleep. They only have to lie down for an hour or two every few days to meet their minimum REM sleep requirements. However, if a horse is never allowed to lie down, after several days it will become sleep-deprived, and in rare cases may suddenly collapse as it involuntarily slips into REM sleep while still standing. This condition differs from narcolepsy, though horses may also suffer from that disorder.

Horses sleep better when in groups because some animals will sleep while others stand guard to watch for predators. A horse kept entirely alone will not sleep well because its instincts are to keep a constant eye out for danger.

Size: The English-speaking world measures the height of horses in hands, abbreviated "h" or "hh," and is measured at the highest point of an animal's withers. One hand is 4 Imperial inches, or, as defined in British law, 101.6 mm. Intermediate heights are defined by hands and inches, rounding to the lower measurement in hands, followed by a decimal point and the number of additional inches between 1 and 3. Thus a horse described as 15.2 hh tall, means it is 15 hands, 2 inches, or 62 inches/1.57 m in height.

The size of horses varies by breed, but can also be influenced by nutrition. The general rule for cutoff in height between what is considered a horse and a pony at maturity is 14.2 hands high. (abbreviated "h" or "hh") (147 cm, 58 inches) as measured at the withers. An animal 14.2h or over is usually considered a horse and one less than 14.2h is a pony.

However, there are exceptions to the general rule. Some smaller horse breeds who typically produce individual horses both under and over 14.2h are considered "horses" regardless of height. Likewise, some pony breeds, such as the Pony of the Americas or the Welsh pony, share some features of horses and individual animals may occasionally mature at over 14.2h, but are still considered ponies.

The difference between a horse and pony is not simply a height difference, but also a difference in phenotype or appearance. There are noticeable differences in conformation and temperament. Ponies often exhibit thicker manes, tails and overall coat. They also have proportionally shorter legs, wider barrels, heavier bone, shorter and thicker

necks, and short heads with broad foreheads. They often have calmer temperaments than horses and also a high level of equine intelligence that may or may not be used to cooperate with human handlers.

Light riding horses such as Arabians, Morgans, or Quarter Horses usually range in height from 14.0 (142 cm) to 16.0 hands (163 cm) and can weigh from 386 kilograms to about 540 kg (850 to 1200 lb). Larger riding horses such as Thoroughbreds, American Saddlebreds or Warmbloods usually start at about 15.2 hands (157 cm) and often are as tall as 17 hands (172 cm), weighing from 500 kg to 680 kg (1100 lb to 1500 lb). Heavy or draft horses such as the Clydesdale, Belgian, Percheron, and Shire are usually at least 16.0 (163 cm) to 18.0 hands (183 cm) high and can weigh from about 680 kg up to about 900 kg (1500 lb to 2000 lb). Ponies cannot be taller than 14.2h (147 cm), but can be much smaller, down to the Shetland pony at around 10 hands (102 cm), and the Falabella which can be the size of a medium-sized dog. However, while many miniature horse breeds are small as or smaller than a shetland pony, because they are bred to have a horse phenotype (appearance), their breeders and registries classify them as very small horses rather than ponies. The largest horse in history was a Shire horse named Sampson, later renamed Mammoth, foaled in 1846 in Bedfordshire, England. He stood 21.2½ hands high (i.e. 7 ft 2½ in or 2.20 m), and his peak weight was estimated at over 3,300 lb (approx 1.5 tonnes). The current record holder for the world's smallest horse is Thumbelina, a fully mature miniature horse affected by dwarfism. She is 17 inches tall and weighs 60 pounds.

Reproduction and Development: pregnancy lasts for approximately 335-340 days and usually results in one foal (male: colt, female: filly). Twins are rare. Colts are usually carried 2-7 days longer than fillies. Females 4 years and over are called mares and males are stallions. A castrated male is a gelding. Horses, particularly colts, may sometimes be physically capable of reproduction at approximately 18 months but in practice are rarely allowed to breed until a minimum age of 3 years, especially females. Horses four years old are considered mature, though the skeleton usually finishes developing at the age of six, and the precise time of completion of development also depends on the horse's size (therefore a connection to breed exists), gender, and the quality of care provided by its owner. Also, if the horse is larger, its bones are larger; therefore, not only do the bones take longer to actually form bone tissue (bones are made of cartilage in earlier stages of bone formation), but the epiphyseal plates (plates that fuse a bone into one piece by connecting the bone shaft to the bone ends) are also larger and take longer to convert from cartilage to bone as well. These plates convert after the other parts of the bones do but are crucial to development.

Depending on maturity, breed and the tasks expected, young horses are usually put under saddle and trained to be ridden between the ages of two and four. Although Thoroughbred and American Quarter Horse race horses are put on the track at as young as two years old in some countries (notably the United States), horses specifically bred for sports such as show jumping and dressage are generally not entered into top-level competition until a minimum age of four years old, because their bones and muscles are not solidly developed, nor is their advanced training complete. For endurance riding competition, horses may not compete until they are a full 60 calendar months (5 years) old.

Skeletal System: horses have, on average, a skeleton of 205 bones. A significant difference in the bones contained in the horse skeleton, as compared to that of a human, is the lack of a collarbone--their front limb system is attached to the spinal column by a powerful set of muscles, tendons and ligaments that attach the shoulder blade to the torso. The horse's legs and hooves are also unique, interesting structures. Their leg bones are proportioned differently from those of a human. For example, the body part that is called a horse's "knee" is actually the carpal bones that correspond to the human wrist. Similarly, the hock, contains the bones equivalent to those in the human ankle and heel. The lower leg bones of a horse correspond to the bones of the human hand or foot, and the fetlock (incorrectly called the "ankle") is actually the proximal sesamoid bones between the cannon bones (a single equivalent to the human metacarpal or metatarsal bones) and the proximal phalanges, located where one finds the "knuckles" of a human. A horse also has no muscles in its legs below the knees and hocks, only skin and hair, bone, tendons, ligaments, cartilage, and the assorted specialized tissues that make up the hoof (see section hooves, below).

Digestion: a horse is a herbivore with a digestive system adapted to a forage diet of grasses and other plant material, consumed regularly throughout the day, and so they have a relatively small stomach but very long intestines to facilitate a steady flow of nutrients. A 1000 pound horse will eat between 15 and 25 pounds (approximately 7-11 kg) of food per day and, under normal use, drink 10 to 12 gallons (about 38-45 litres) of water. Horses are not ruminants, so they have only one stomach, like humans, but unlike humans, they can also digest cellulose from grasses due to the presence of a "hind gut" called the cecum, or "water gut," that food goes through before reaching the large intestine. Unlike humans, horses cannot vomit, so digestion problems can quickly spell trouble, with colic a leading cause of death.

Teeth: horses are adapted to grazing. In an adult horse, there are 12 incisors (six upper and six lower), adapted to biting off the grass or other vegetation, at the front of the mouth. There are 24 teeth adapted for chewing, the premolars and molars, at the back of the mouth. Stallions and geldings have four additional teeth just behind the

incisors, a type of canine teeth that are called "tushes." Some horses, both male and female, will also develop one to four very small vestigial teeth in front of the molars, known as "wolf" teeth, which are generally removed because they can interfere with the bit.

There is an empty interdental space between the incisors and the molars where the bit rests directly on the bars (gums) of the horse's mouth when the horse is bridled.

The incisors show a distinct wear and growth pattern as the horse ages, as well as change in the angle at which the chewing surfaces meet. The teeth continue to erupt throughout life as they are worn down by grazing, and while the diet and veterinary care of the horse can affect the rate of tooth wear, a very rough estimate of the age of a horse can be made by looking at its teeth.

Hooves: the critical importance of the feet and legs is summed up by the traditional adage, "no foot, no horse." The horse hoof begins with the distal phalanges, the equivalent of the human fingertip or tip of the toe, surrounded by cartilage and other specialized, blood-rich soft tissues such as the laminae, with the exterior hoof wall and horn of the sole made essentially of the same material as a human fingernail. The end result is that a horse, weighing on average 1,000 pounds, travels on the same bones as a human on tiptoe. For the protection of the hoof under certain conditions, some horses have horseshoes placed on their feet by a professional farrier. The hoof continually grows, just like a large fingernail, and needs to be trimmed (and horseshoes reset, if used) every six to eight weeks.

Senses: the senses of a horse are generally superior to those of a human. As prey animals, they must be aware of their surroundings at all times. They have very large eyes (among land animals only the ostrich has a larger eye), with excellent day and night vision, though they may have a limited range of color vision. The side positioning of the eyes gives the horse a wide field of vision of about 350°. While not color-blind, studies indicate that they have difficulty distinguishing greens, browns and grays. Their hearing is good, and the pinna of their ears can rotate a full 360 degrees in order to pick up sound from any direction. Their sense of smell, while much better than that of humans, is not their strongest asset; they rely to a greater extent on vision.

A horse's sense of balance is outstanding; the cerebellum of their brain is highly developed and they are very aware of terrain and placement of their feet. Horses' sense of touch is better developed than many people think; they immediately notice when a fly or mosquito lands on them, even before the insect attempts to bite. Their sense of taste is well-developed in order to determine the nature of the plants they are eating, and their prehensile lips can easily sort even the smallest grains. Horses will seldom eat most poisonous plants or spoiled food unless they have no other choices, although a few toxic plants have a chemical structure that appeals to animals, and thus poses a greater risk of being ingested.

Gaits: all horses move naturally with four basic gaits: the walk, trot or jog, canter or lope, and gallop. Besides these basic gaits, some horses pace, instead of trot. In addition, there are many "ambling" gaits such as the slow gait, rack, fox trot running walk, and tölt. These special gaits are often found in specific breeds, often referred to as "gaited" horses because they naturally possess additional gaits that are approximately the same speed as the trot but smoother to ride. Technically speaking, "gaited horses" replace the standard trot (which is a 2 beat gait) with one of the four beat gaits.

Horse breeds with additional gaits that often occur naturally include: the Tennessee Walking Horse which naturally performs a running walk; the American Saddlebred which can be trained to exhibit a slow gait and the rack; Paso Fino, which has two ambling gaits, the paso corto and paso largo; the Peruvian Paso, which exhibits the paso llano, and sobreandando; and Icelandic horses which are known for the tölt. The fox trot is found in several breeds, most notably the Missouri Foxtrotter. Standardbreds, depending on bloodlines and training, may either pace or trot.

Horse Care: horses are animals that were evolved to graze. They eat grass or hay, sometimes supplemented with grain. They require a plentiful supply of clean water, a minimum of 10 to 12 gallons per day. Although horses are adapted to live outside, they require shelter from the wind and precipitation, which can range from a simple shed or shelter to an elaborate stable.

Horses require annual vaccinations to protect against various diseases, need routine hoof care by a farrier, and regular dental examinations from a veterinarian or a specialized equine dentist. If horses are kept inside in a barn, they require regular daily exercise for their physical health and mental well-being. When turned outside, they require well-maintained, sturdy fences to be safely contained. Regular grooming is also helpful to help the horse maintain good health of the hair coat and underlying skin.

Equine Benefits: horses are trained to be ridden or driven in many different sporting events and competitions. Examples include horse shows, gymkhana and O-Mok-See, rodeos, endurance riding, fox hunting, and Olympic-level events such as three-day eventing, combined driving, dressage, and show jumping. Although scoring varies by event, most emphasize the horse's speed, maneuverability, obedience and/or precision. Sometimes the equitation, the style and ability of the rider, is also considered.

Sports such as polo and horseball do not judge the horse itself, but rather use the horse as a partner for human competitors as a necessary part of the game. Although the horse assists this process and requires specialized training to do so, the details of its performance are not judged, only the result of the rider's actions -- be it getting a ball through a goal or some other achievement. Examples of these sports of partnership between human and animal also include jousting (reenacting the skills used by medieval knights), where the main goal is for one rider to dismount the other, and buzkashi, a team game played throughout Central Asia, the aim being to capture a goat carcass while on horseback.

The most widely known use of horses for sport is horse racing, seen in almost every nation in the world. There are three types: "flat" racing; steeplechasing, i.e. racing over jumps; and harness racing, where horses trot or pace while pulling a driver in a small, light cart known as a sulky. Most race horses in the developed world are Thoroughbreds, a breed which can reach speeds up to 40 mph/70 km/h. In the case of a specialized sprinting breed, the American Quarter Horse, speeds over 50 mph have been clocked. In harness racing, performed by Standardbred horses, speeds over 30 mph have been measured. A major part of the economic importance of horse racing, as for many sports, lies in the gambling associated with it.

There are certain jobs that horses do very well, and no amount of technology appears able to supersede. Mounted police horses are still effective for crowd control. Cattle ranches still require riders on horseback to round up cattle that are scattered across remote, rugged terrain. Search and rescue organizations in some countries depend upon mounted teams to locate people, particularly hikers and hunters, who are lost in remote areas.

Some land management practices such as cultivating and logging can be efficiently performed with horses. In agriculture less use of fossil fuels, reduced soil compaction and degrading of soil structure can be seen over time with the use of draft animals such as horses. In forestry, logging can be done with horses and can result in reduced damage to soil structure and less damage to trees due to more selective logging.

Horses can also be used in other areas where it is necessary to avoid vehicular disruption to delicate soil. Examples include areas such as a nature reserve. They may also be the only form of transport allowed in wilderness areas. They are also quieter than motorized vehicles. Peace officers such as rangers or game wardens may use horses for patrols, and horses may also be used for clearing trails or other work in areas of rough terrain where vehicles are less effective.

In less affluent countries such as Romania, Kyrgyzstan, and many parts of the Third World, horses, donkeys and mules are routinely used for transport and agriculture. In areas where roads are poor or non-existent and fossil fuels are scarce or the terrain rugged, riding horseback is still the most efficient way to get from place to place.

People with disabilities obtain beneficial results from association with horses. The movement of a horse strengthens muscles throughout a rider's body and promotes better overall health. In many cases, riding has also led to increased mobility for the rider. Horses also provide psychological benefits to people whether they actually ride or not. The benefits of equestrian activity for people with disabilities has also been recognized with the addition of equestrian events to the Paralympic Games and recognition of para-equestrian events by the FEI.

Hippotherapy and therapeutic horseback riding are names for different physical, occupational and speech therapy treatment strategies that utilize equine movement. In the hippotherapy environment, a therapist uses the horse's movement to provide carefully graded sensory input, whereas therapeutic horseback riding uses specific riding skills.

"Equine-assisted" or "equine-facilitated" psychotherapy uses horses as companion animals to assist people with psychological problems. Actual practices vary widely due to the newness of the field; some programs include Therapeutic Horseback Riding and hippotherapy. Non-riding therapies simply encourage a person to touch, speak to and otherwise interact with the horse. People appear to benefit from being able to be around a horse; horses are very sensitive to non-verbal communication and are an ideal resource for working with individuals who have "tuned out" human therapists.

Equine Assisted Learning (EAL), Equine guided education, or equine assisted professional development, is another relatively new field of experiential learning for corporate, professional and personal development. There also have been experimental programs using horses in prison settings. Exposure to horses appears to improve the behavior of

inmates in a prison setting and help reduce recidivism when they leave. A correctional facility in Nevada has a successful program where inmates learn to train young mustangs captured off the range in order to make it more likely that these horses will find adoptive homes. Both adult and juvenile prisons in New York, Florida, and Kentucky work in cooperation with the Thoroughbred Retirement Foundation to re-train former racehorses as pleasure mounts and find them new homes. Horses are also used in camps and programs for young people with emotional difficulties.

The material and information on this website, including any merchandise, information or service provided through this website, is provided "as is" with all faults and without warranty of any kind from the Furry Critter Network, expressed or implied. In no event shall the Furry Critter Network be liable for any direct damages, special, incidental or consequential damages, lost profits, or any indirect damages arising from the use or inability to use this website, even if the Furry Critter Network has been informed of the possibility thereof.